jpt

Journal of Paint Technology

Annual Index

1974

Volume 46
Numbers 588-599
January thru December, 1974

Journal of Paint Technology
1974 Annual Index

Key Word Index

A

Abrasion ..... 70–Sept.
Abrasives ..... 56–Aug.
Accelerated aging ..... 76–Sept.
Accelerated testing ..... 31–Jul.
Accelerated weathering ..... 46–Oct.
Acid resistance ..... 70–Apr.
Acrylated epoxies, polyesters, polyethers, polyurethanes ..... 60–Sept.
Acrylic ..... 55–Apr., 40–Jul.
Acrylic latex ..... 54–Jan.
Acrylic resin ..... 46–Jun.
Activity vs. structure ..... 31–Jul.
Algal growths ..... 48–Aug.
Alkyd ..... 52–Oct.
Alkyd gloss finish ..... 48–Mar.
Alkyd modification ..... 54–Jan.
Amino cross-linking agent ..... 46–Jun.
Anatase-rutile ratios ..... 63–Oct.
Angle of maximum reflectance ..... 35–Mar., 52–Oct.
Appearance ..... 31–Jun.
Artificial weathering 51–May
Aryl cyclic sulfonium zwitterions ..... 41–Jan.
Atmospheric pollution ..... 59–Jun.
Attenuated total reflectance (ATR) 35, 48–Mar., 63–Aug.
Aureobasidium pullulans ..... 53–Sept., 59–Dec.
Average height of surface roughness irregularities 35–Mar.

B

Bacteria ..... 37–Feb.
Bacterial paint isolate ..... 69–Jul.
Beam angular divergence, polyurethane ..... 52–Oct.
Biocides ..... 48–Aug.
Biodegradation ..... 46–Oct., 49–Nov.
Blending ..... 35–Aug.
Broad spectrum organics ..... 31–Jul.
Brushability ..... 29–Mar.
Brush transfer ..... 29–Mar.
Bubble shape ..... 31–Nov.

C

Carboxy polymers ..... 41–Jan.
Cellulase ..... 69–Jul., 49–Nov.
Chalking ..... 65–Dec.
Chalk test ..... 56–Nov.
Changes in dispersion ..... 96–Sept.
Check-crack resistance ..... 63–Oct.
Chlorinated rubber ..... 48–Mar., 52–Oct.
Coalescence ..... 31–Nov.
Coating curing ..... 51–Jun.
Coating performance ..... 46–Jun.
Coatings ..... 47–Jan., 65–Jul.
Coil coatings ..... 63–Aug.
Collodial systems ..... 31–Nov.
Colloids ..... 41–Jan.
Color ..... 36–May, 31–Jun.
Color difference 36–May
Color drift ..... 37–Feb.
Computer ..... 35–Aug.
Concentrated solutions ..... 33–Apr.
Concrete structures ..... 48–Aug.
Concrete test blocks 65–May
Cone and plate viscometer ..... 31–Feb.
Conformation ..... 35–Nov.
Consensus ranking ..... 31–Feb.
Corrodescope ..... 31–Aug.
Corrosion-resistant coatings ..... 31–Aug.
CPVC ..... 44–Apr.
Critical thickness ..... 73–Dec.
Cross-linking mechanism ..... 46–Jun.
Cured film properties ..... 70–Apr.
Cure determination ..... 63–Aug.
Cure speed ..... 74–Jan.

D

Decorative paints and baking enamels ..... 96–Sept.
Deformation ..... 31–Nov.
Degradation ..... 56–Nov.
Deposition efficiency ..... 73–Dec.
Dew freeze vacuum (DFV) 47–May
Dielectric breakdown ..... 73–Dec.
Differential scanning calorimetry ..... 55–Apr., 76–Sept.
Diffusion ..... 31–Nov.
Dilatometry ..... 23–Feb.
Discoloration ..... 70–Apr.
Dispersion ..... 44–Apr., 50–Jul.
Drainage ..... 31–Nov.
Drawdown bars ..... 31–Feb.
Drying rates ..... 40–Nov.
Dust control ..... 63–Mar.

E

Electron beam curing ..... 51–Jun.
Electrostatic spray ..... 73–Dec.
Elongation, % ..... 76–Sept.
Emulsions ..... 41–Jan.
Enamels 57–May
Energy transfer ..... 65–Dec.
Enzyme activity ..... 37–Feb.

EPA requirements ..... 31–Jul.
Epoxy ..... 55–Apr.
Epoxy/polyamine ..... 52–Oct.
Epoxy/polyamine gloss finish ..... 48–Mar.
Erosion rates ..... 59–Jun.
Ethylene glycol ..... 40–Nov.
Exposure methods ..... 54–Jan.
Exposure testing ..... 31–Jul., 63–Oct.
Exterior exposure ..... 59–Jun., 46–Oct.
Exterior latex ..... 54–Jan.
Exterior paint 47–May

F

Factory finishing 51–May
Film build-up ..... 29–Mar.
Film thickness ..... 65–Jul., 41–Oct.
Fire-retardant paint ..... 58–Mar., 62–Apr.
Flocculation or shear/strength variation ..... 96–Sept.
Formulating tool ..... 44–Apr.
Formulation ..... 35–Aug.
Formulation variables ..... 31–Jul.
Free films ..... 55–Feb.
Fungal ecology ..... 59–Dec.
Fungal growths ..... 48–Aug., 59–Dec.
Fungicides ..... 54–Jan., 46–Oct.
Fungitoxic groups ..... 31–Jul.
Fungus resistance ..... 46–Oct.

G

Glass transition temperature ..... 55–Apr., 76–Sept.
Gloss factor (GF) ..... 35, 48–Mar., 52–Oct.
Goniophotometry ..... 35, 48–Mar., 52–Oct.
Graphical analysis ..... 55–Feb.
Growth ..... 69–Jul.

H

Hardboard siding 51–May
High solids coatings ..... 70–Apr.
High-speed curing ..... 51–Jun.
Hydroformylated linseed oil ..... 53–Nov.
Hydrogen peroxide in chalking ..... 65–Dec.
Hydrostatic pressures 65–May
Hydroxyacrylic resins ..... 53–Nov.
Hydroxybutadiene resins ..... 53–Nov.
Hydroxyethyl cellulase ..... 59–Dec.
Hydroxyethyl cellulose ..... 53–Sept., 59–Dec.

I

Immunodiffusion ..... 49–Nov.
Inhibitors ..... 31–Aug.
Ink drying ..... 51–Jun.
Inner salts ..... 41–Jan.
Inoculations ..... 37–Feb.
Inoculum size ..... 69–Jul.
Instron ..... 55–Feb.
Instrumental procedure ..... 44–Apr.
Interferometry ..... 65–Jul.
Interpenetrating polymer networks ..... 47–Jan.
Intrinsic viscosity ..... 33–Apr.
Intumescence ..... 58–Mar.
Intumescent coatings formulation ..... 58–Mar.
IPN's ..... 47–Jan.
Iron surfaces 57–May
Irradiance ..... 74–Jan.

K

Kinetics ..... 23–Feb.
Kubelka-Munk theory 33–Jan., 33–May

L

Latex emulsions ..... 57–May, 49–Nov.
Latexes ..... 47–Jan.
Latex house paints ..... 63–Oct.
Latex paint ..... 29–Mar., 40–Nov.
Latex waste treatment ..... 46–Jul.
Leveling 31–Feb., 29–Mar., 40–May
Light scattering ..... 33–Jan.
Linseed oil copolymers ..... 53–Nov.
Liquid control ..... 63–Mar.

M

Maintenance ..... 48–Aug.
Maleated linseed oil ..... 53–Nov.
Mechanical properties ..... 55–Feb.
Mechanical seals ..... 70–Sept.
Mechanisms ..... 59–Jun.
Metallic effect ..... 31–Jun.
Metallized paint films ..... 31–Jun.
Microaerophilic pseudomonad ..... 69–Jul.
MIDOC ..... 53–Sept.
Mildewcide ..... 46–Oct.
Mildew control agents ..... 54–Jan.
Mildew growth ..... 54–Jan.
Mildew-induced defacement ..... 59–Dec.
Mildew resistant coatings ..... 31–Jul.
Mold resistance ..... 63–Oct.
Morphology ..... 76–Sept.
Multi-functional acrylates ..... 60–Sept.
Mycology ..... 53–Sept.
Mylar ..... 55–Feb.

N

Natural weathering ..... 48–Mar.
Newtonian viscosity ..... 33–Apr.
Noise damping ..... 47–Jan.
Non-aqueous dispersion ..... 40–Jul.
Nonmercurials ..... 37–Feb.
Non-Newtonian liquids ..... 56–Aug.
Nonthermal curing ..... 51–Jun.
NYPC leveling blade ..... 31–Feb.

O

Oil absorption ..... 44–Apr.
Opacity ..... 41–Oct.
Operator/tunnel variance, study of ..... 62–Apr.
Operator variance ..... 44–Apr.
Opposite characteristics ..... 96–Sept.
Optimization ..... 35–Aug.

P

Package stability ..... 31–Jul.
Paint ..... 48–Aug.
Paint curing ..... 51–Jun.
Paint films ..... 56–Nov.
Peeling 47–May
Phenyl mercury ..... 37–Feb., 31–Jul.
Photo-chemistry ..... 65–Dec.
Photo-curing ..... 60–Sept.

Photo-initiator ..... 74–Jan., 23–Feb.
Photopolymerization ..... 74–Jan.
Photopolymerization ..... 23–Feb., 60–Sept.
Photo-sensitization ..... 65–Dec.
Phthalocyanine blue ..... 96–Sept.
Pigment dispersion ..... 35–Nov.
Pigment packing ..... 33–Jan.
Pigments ..... 44–Apr., 50–Jul.
Pitting behavior ..... 31–Aug.
Pollution control equipment ..... 63–Mar.
Polyacetoacetates ..... 70–Apr.
Polyenamine coatings ..... 70–Apr.
Polyketimines ..... 70–Apr.
Polymerization ..... 40–Jul.
Polymers ..... 35–Nov.
Polyurethane alkyd gloss finish ..... 48–Mar.
Portland cement 65–May
Powder adhesion ..... 73–Dec.
Powder coating ..... 73–Dec.
Powder coating resins ..... 55–Apr.
Preferential adsorption ..... 31–Nov.
Prepolymers ..... 70–Apr.
Preservatives ..... 37–Feb.
Primers 57–May
Profileometer ..... 31–Feb.
Progressive cavity design ..... 56–Aug.
Property improvements ..... 70–Apr.
Property-structure relationships ..... 70–Apr.
Propylene glycol ..... 40–Nov.
Pseudomonads ..... 53–Sept., 49–Nov.
Pseudomonas ..... 53–Sept.
Pumping ..... 56–Aug.
PVC organosol ..... 52–Oct.
PVC organosol matt finish ..... 48–Mar.

R

Radiation curing ..... 51–Jun., 60–Sept.
Ratio curve ..... 63–Aug.
Reflectance 36–May
Reflection ..... 31–Jun.
Rheology ..... 31–Feb., 35–Nov.
Rheology of latex paints ..... 29–Mar.
Role of white pigment ..... 96–Sept.
Rolling sphere viscosity 40–May
Rotary pumps ..... 70–Sept.

S

Sagging ..... 29–Mar.
Scanning electron micrographs ..... 56–Nov.
Scanning electron microscopy ..... 76–Sept.
Sensitometer ..... 74–Jan.
Sewage charges ..... 46–Jul.
Shear sensitivity ..... 70–Sept.
Silent paint ..... 47–Jan.
Singlet oxygen in chalking ..... 65–Dec.
100% solids coatings ..... 60–Sept.
Solid waste control ..... 63–Mar.
Solution ..... 33–Apr., 57–May, 35–Nov.
Solvent balance ..... 35–Nov.
Solventless coatings ..... 60–Sept.
Stability ..... 31–Nov.
Staining ..... 48–Aug.
Standardized brushout method ..... 31–Feb.
Statistics ..... 55–Feb.
Stereoscan electron microscopy ..... 35–Mar.
Storage stability ..... 70–Apr.
Surface activity ..... 31–Nov.
Surface potential ..... 73–Dec.
Surface profiles 40–May
Survey ..... 63–Mar.
Sward Rocker ..... 76–Sept.

T

Temperature ..... 47–Jan.
Tensile strength ..... 55–Feb., 76–Sept.
Test device 65–May
Testing 47–May
Thermal analysis ..... 55–Apr.
Thermal mechanical analysis ..... 55–Apr., 76–Sept.
Thickener ..... 37–Feb.
Thinners and solvents ..... 35–Aug.
Thixotropy ..... 29–Mar.
Titanium dioxide ..... 33–Jan., 41–Oct.
Torque rheometer ..... 44–Apr.
Torsional braid analysis ..... 55–Apr.
Torsional decrement ..... 76–Sept.
Torsional modulus ..... 76–Sept.
Tropical areas ..... 48–Aug.
Two-foot tunnel test ..... 62–Apr.

U

Ultimate elongation ..... 55–Feb.
Ultraviolet ..... 74–Jan., 23–Feb.
Ultraviolet curable coatings ..... 60–Sept.
Urethane ..... 55–Feb.

V

Vapor control ..... 63–Mar.
Vibrations ..... 47–Jan.
Vinyl ..... 55–Apr.
Vinyltoluene alkyd ..... 52–Oct.
Vinyltoluene-butadiene paints 65–May
Viscosity ..... 40–May, 70–Sept.

W

Water-based coatings ..... 41–Jan., 46–Jun.
Water-base systems ..... 50–Jul.
Water-borne resins 57–May
Water-borne vehicles 57–May
Water-soluble monomers ..... 41–Jan.
Water vapor permeability ..... 76–Sept.
Weather ..... 48–Aug.
Weatherability ..... 35–Mar., 52–Oct.
Weathering ..... 47–May, 59–Jun., 65–Dec.
Weather-Ometer ..... 59–Jun.
Weibull distribution ..... 55–Feb.
Wet adhesion 47–May

X

X-ray fluorescence ..... 41–Oct.

Z

Zinc-free ..... 54–Jan.
Zinc oxide ..... 54–Jan., 31–Jul., 63–Oct.

Alphabetical Listing of Papers

A

Acrylic Non-Aqueous Dispersion Variables–W. J. Elms and R. D. Spitz, July, p. 40.
Application of the Weibull Distribution Function in the Coatings Industry–H. E. Hill and N. P. Adams, Feb., p. 55.
Artificial Weathering Tests for Factory-Finished Hardboard Siding–R. C. Marck, Apr., p. 51.
Assessing Air Pollution Damage to Coatings–G. G. Campbell, G. G. Schurr, D. E. Slawikowski, and J. W. Spence, June, p. 59.

C

Chemistry of Painting Surfaces from Earliest Time to Unfathomable Future–R. H. Huff, Jan., p. 62.
Color and Appearance of Metallized Paint Films–I. Characterization–F. W. Billmeyer, Jr. and J. G. Davidson, June, p. 31.
Comparative Kinetics of Ultraviolet Curable Coating Systems–V. D. McGinniss and D. M. Dusek, Feb., p. 23.
Comparison of Reflectance and Related Methods for Studies of Film Surface Deterioration–I. Natural Weathering of PVC (Organosol) Film–M. Tahan, Mar., p. 35.
Comparison of Reflectance and Related Methods for Studies of Film Surface Deterioration–II. Natural Weathering of Alkyd, Urethane and Epoxypolyamine Coatings–M. Tahan and B. J. Tighe, Mar., p. 48.
Comparison of Reflectance and Related Methods for Studies of Film Surface Deterioration–III. Modification of the Goniophotometer and Its Efficiency in Weathering Studies–M. Tahan, Oct., p. 52.
Continued Search for Nonmercurial Fungicide in an Exterior Latex House Paint–C-D-I-C Society, Jan., p. 54.
Control of Algal Growth on Paints at Tropical Locations–R. W. Drisko and J. B. Crilly, Aug., p. 48.
Cure Determination of Coil Coatings by Use of Attenuated Total Reflectance (ATR) Infrared Techniques–E. W. Kinkelaar, J. T. Rozsa, and L. J. Vavruska, Aug., p. 63.

D

Degradation Processes in TiO_2 Pigmented Paint Films on Exposure to Weathering–G. Kaempf, W. Papenroth, and R. Holm, Nov., p. 56.
Design, Functionality, and Efficiency of Pigment Dispersants in Water-Base Systems–R. F. Conley, July, p. 51.
Development of a Corrodescope to Test Coatings and Inhibitors–M. T. Hepworth and K. J. Bhansali–Aug., p. 31.
Dew Freeze Vacuum (DFV)–Test for Determination of Experimental Paint Wet Adhesion to Weathered Wood Substrates–L. E. Nack and F. W. Smith, Apr., p. 47.

E

Effect of Particle Crowding on Scattering Power of TiO_2 Pigments–D. F. Tunstall and M. J. Hird, Jan., p. 33.
Evaluation of Leveling Characteristics of Some Latex Paints–A. Quach and C. M. Hansen, Apr., p. 40.
Experiments in Measurement of Leveling of Latex Paints–New York Society, Feb., p. 31.

F

Foams–Fundamental Characteristics, Prevention, and Destruction–S. E. Keszthelyi, Nov., p. 31.
Formulation of Mildew Resistant Coatings–L. E. Ludwig, July, p. 31.

G

Growth of Typical Paint Bacterial Isolate in Aqueous Emulsion Paint–H. Winters, G. Guidetti, and M. Goll, July, p. 69.

I

Incorporation of Ferrocene and Other Organometallic Compounds into Polymers and Films–C. U. Pittman, Jr., P. Grube, and R. M. Hanes, Oct., p. 35.
Influence of Dispersion Medium on Performance of Precipitated Amorphous Silica Flatting Agents–H. J. Golden, Apr., p. 51.
Influence of Ethylene and Propylene Glycols on Drying Characteristics of Latex Paint–M. D. Andrews, Nov., p. 40.
Infrared Fourier Transform Spectroscopy in the Coating Industry–V. Measurement of Thickness of Films of Clear Coatings on Reflective Metals–M. J. D. Low and H. Mark, July, p. 65.
Innovation in Organic Coatings–M. A. Glaser, Dec., p. 39.
Instrumental Approaches to Powder Coatings Characterization–J. B. Zicherman and R. M. Holsworth, Apr., p. 55.

L

Latex Waste and Treatment–R. T. Williams, July, p. 46.

M

Making Coatings Science Useful–H. L. Gerhart, Jun., p. 38.
Microecology of Mold Growth–J. A. Schmitt, Dec., p. 59.
Mildew-Induced Defacement of Organic Coatings–J. A. Schmitt, Sept., p. 53.
Model for Predicting Viscosities of Moderately Concentrated Polymer Mixtures–A. Rudin and G. B. Strathdee, Apr., p. 33.

N

New Coatings from Chemically Modified Linseed Oil and Hydroxyl-Bearing Butadiene and Acrylic Resins–T. H. Khoe and L. E. Gast, Nov., p. 53.
New Trend in the Coatings Industry–Guaranteed Performance–Painting Contractor's Specification Manuals–British Columbia Section, Pacific Northwest Society, Mar., p. 25.
Nonmercurial Preservatives, Their Effectiveness and Relationship to Raw Materials in Latex Paints–Kansas City Society, Feb., p. 37.

O

Outline for Design of a Trade Sales Paint Warehouse–A. Morris, Aug., p. 69.

P

People, Politics, and Publications–J. C. Weaver, Feb., p. 64.
Photo-Chemistry of Pigments – Studies on the Mechanism of Chalking–S. P. Pappas and R. M. Fischer, Dec., p. 65.

Physical Characterization of Coatings Upon Aging–R. M. Holsworth, T. Provder, and A. Ramig, Jr., Sept., p. 76.
Pigment Flocculation in Baking Enamels–W. Carr, Sept., p. 96.
Polyenamine Coatings–I. Formulation of Coatings and Determination of Film Properties–K. L. Hoy and C. H. Carder, Apr., p. 70.
Polyenamine Coatings–II. Chemical Methods of Improving Film Properties–C. H. Carder and H. O. Colomb, Jr., Apr., p. 76.
Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis–III. Effect of Concentration Errors on Color for Mixtures of One Chromatic Pigment with White–F. W. Billmeyer, Jr. and D. C. Phillips, Apr., p. 36.
Pseudomonads and Their Cellulases–Mechanism of Action and Method of Detection–M. Goll and H. Winters, Nov., p. 49.
Pumping Abrasive Liquids with Progressing Cavity Pumps –J. D. Bourke, Aug., p. 56.

R

Rapid Method to Formulate Superior Hydrocarbon Solvent Blends–P. L. Goff, Aug., p. 35.
Reaching an Objective in Oil Absorption Measurements–T. K. Hay, Apr., p. 44.
Report of PRI Research Director–R. R. Myers, Apr., p. 27.
Rheological Correlation with the Application Properties of Latex Paints–N. Sarker and R. H. Lalk, Mar., p. 29.
Role of Critical Coating Thickness in Electrostatic Powder Deposition–G. F. Hardy, Dec., p. 73.
Rotary Pumps for Paints–D. Meier, Sept., p. 70.

S

Self-Contained Curtain Processors for Industrial Electron Beam Curing–S. V. Nablo, A. D. Fussa, and B. S. Quintal, June, p. 51.
Solvent Balance, Dispersion and Rheological Properties of Pigmented Polymer Compositions–H. P. Schreiber, Nov., p. 35.
State-of-the-Art of Waste Disposal in the Coatings Industry–R. Tackett, Mar., p. 63.
Synthesis and Behavior of Prototype "Silent Paint"–L. H. Sperling, T. W. Chiu, R. H. Gramlich, and D. A. Thomas, Jan., p. 47.

T

Technology Interchange Between Europe and U.S.A.: Review of Problem Areas, Economics and Optimization of Results–A. Poluzzi, Feb., p. 46.
Test Device for Evaluation of Hydrostatic Pressure-Resistant Coatings on Cement–Pittsburgh Society, Apr., p. 65.
Two-Foot Tunnel Test-Study of Operator/Tunnel Variability on Flame Spread Ratings–St. Louis Society, Apr., p. 62.

U

Ultraviolet Radiation Cured Coatings–C. B. Rybny, C. A. DeFazio, I. K. Shahidi, J. C. Trebellas, and J. A. Vona, Sept., p. 60.
Use of Amino Cross-Linking Agents in Water-Based Coatings–W. J. Blank and W. L. Hensley, Jun., p. 46.
Use of Thermal Analysis to Screen Binders for Intumescent Coatings–S. H. Roth and J. Green, Mar., p. 58.
UV Lamp Irradiance and Cure Speed of Photopolymers–H. Rubin, Jan., p. 74.

W

Water-Based Coatings from Aryl Cyclic Sulfonium Zwitterion (ACSZ) Monomers–D. L. Schmidt, H. B. Smith, and W. E. Broxterman, Jan., p. 41.
Water-Borne Coating Systems for Iron Surfaces–Northwestern Society, Apr., p. 57.
Why a Mildew-Resistant Paint Can Fail–J. A. Jakubowski, Oct., p. 46.

X

X-Ray Fluorescent Technique for Measuring Thickness of Paint Films Containing TiO_2 Pigments–M. J. Hird, Oct., p. 41.

Z

Zinc Oxide and Rutile-Anatase Chalking Study in White, Exterior, Latex House Paints–Part IV. A Four-Year Progress Report–W. H. Madson, Oct., p. 63.

Author Index

A

Adams, N. P.–See Hill, H. E.
Andrews, M. D.–Influence of Ethylene and Propylene Gylcols on Drying Characteristics of Latex Paint, Nov., p. 40.

B

Bhansali, K. J.–See Hepworth, M. T.
Billmeyer, F. W., Jr. and Davidson, J. G.–Color and Appearance of Metallized Paint Films – I. Characterization, Jun., p. 31.
Billmeyer, F. W., Jr. and Phillips, D. G.–Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis – III. Effect of Concentration Errors on Color for Mixtures of One Chromatic Pigment with White, May, p. 36.
Blank, W. J. and Hensley, W. L.–Use of Amino Cross-Linking Agents in Water-Based Coatings, Jun., p. 46.
Bourke, J. D.–Pumping Abrasive Liquids with Progressing Cavity Pumps, Aug., p. 56.
Broxterman, W. E.–See Schmidt, D. L.

C

Campbell, G. G., Schurr, G. G., Slawikowski, D. E., and Spence, J. W. – Assessing Air Pollution Damage to Coatings, Jun., p. 59.
Carder, C. H.–See Hoy, K. L.
Carder, C. H. and Colomb, H. O., Jr.–Polyenamine Coatings – II. Chemical Methods of Improving Film Properties, Apr., p. 76.
Carr, W.–Pigment Flocculation in Baking Enamels, Sept., p. 96.
Colomb, H. O., Jr.–See Carder, C. H.
Conley, R. F.–Design, Functionality, and Efficiency of Pigment Dispersants in Water-Base Systems, Jul., p. 51.
Crilly, J. B.–See Drisko, R. W.

D

Davidson, J. G.–See Billmeyer, F. W., Jr.
DeFazio, C. A.–See Rybny, C. B.
Drisko, R. W. and Crilly, J. B.–Control of Algal Growth on Paints at Tropical Locations, Aug., p. 48.
Dusek, D. M.–See McGinness, V. D.

E

Elms, W. J. and Spitz, R. D.—Acrylic Non-Aqueous Dispersion Variables, Jul., p. 40.

F

Fischer, R. M.—See Pappas, S. P.
Fussa, A. D.—See Nablo, S. V.

G

Gast, L. E.—See Khoe, T. H.
Gerhart, H. L.—Making Coatings Science Useful, Jun., p. 38.
Glaser, M. A.—Innovation in Organic Coatings, Dec., p. 39.
Goff, P. L.—Rapid Method to Formulate Superior Hydrocarbon Solvent Blends, Aug., p. 35.
Golden, H. J.—Influence of Dispersion Medium on Performance of Precipitated Amorphous Silica Flatting Agents, Apr., p. 51.
Goll, M.—See Winters, H.
Goll, M. and Winters, H.—Pseudomonads and Their Cellulases – Mechanism of Action and Method of Detection, Nov., p. 49.
Green, J.—See Roth, S. H.
Grube, P.—See Pittman, C. U., Jr.
Guidetti, G.—See Winters, H.

H

Hanes, R. M.—See Pittman, C. U., Jr.
Hansen, C. M.—See Quach, A.
Hardy, G. F.—Role of Critical Coating Thickness in Electrostatic Powder Deposition, Dec., p. 73.
Hay, T. K.—Reaching an Objective in Oil Absorption Measurements, Apr., p. 44.
Hensley, W. L.—See Blank, W. J.
Hepworth, M. T. and Bhansali, K. J.—Development of a Corrodescope to Test Coatings and Inhibitors, Aug., p. 31.
Hill, H. E. and Adams, N. P.—Application of the Weibull Distribution Function in the Coatings Industry, Feb., p. 55.
Huff, R. H. – Chemistry of Painting Surfaces from Earliest Time to Unfathomable Future, Jan., p. 62.
Hird, M. J.—X-Ray Fluorescent Technique for Measuring Thickness of Paint Films Containing TiO_2 Pigments, Oct., p. 41.
Hird, M. J.—See Tunstall, D. F.
Holm, R.—See Kaempf, G.
Holsworth, R. M., Provder, T., and Ramig, A., Jr., —Physical Characterization of Coatings Upon Aging, Sept., p. 76.
Hoy, K. L. and Carder, C. H.—Polyenamine Coatings – I. Formulation of Coatings and Determination of Film Properties, Apr., p. 70.
Holsworth, R. M.—See Zicherman, J. B.

J

Jakubowski, J. A.—Why a Mildew-Resistant Paint Can Fail, Oct., p. 46.

K

Kaempf, G., Papenroth, W., and Holm, R.—Degradation Processes in TiO_2-Pigmented Paint Films on Exposure to Weathering, Nov., p. 56.
Keszthelyi, S. E.—Foams – Fundamental Characteristics, Prevention and Destruction, Nov., p. 31.
Khoe, T. H. and Gast, L. E.—New Coatings from Chemically Modified Linseed Oil and Hydroxyl-Bearing Butadiene and Acrylic Resins, Nov., p. 53.
Kinkelaar, E. W., Rozsa, J. T., and Vavruska, L. J.—Cure Determination of Coil Coatings by Use of Attenuated Total Reflectance (ATR) Infrared Techniques, Aug., p. 63.

L

Lalk, R. H.—See Sarkar, N.
Low, M. J. D. and Mark, H.—Infrared Fourier Transform Spectroscopy in the Coatings Industry – V. Measurement of Thickness of Films of Clear Coatings on Reflective Metals, Jul., p. 65.
Ludwig, L. E.—Formulation of Mildew Resistant Coatings, Jul., p. 31.

M

Madson, W. H.—Zinc Oxide and Rutile-Anatase Chalking Study in White, Exterior, Latex House Paints – IV. Four-Year Progress Report, Oct., p. 63.
Marck, R. C.—Artificial Weathering Tests for Factory-Finished Hardboard Siding, May, p. 51.
Mark, H.—See Low, M. J. D.
McGinniss, V. D. and Dusek, D. M.—Comparative Kinetics of Ultraviolet Curable Coating Systems, Feb., p. 23.
Meier, D.—Rotary Pumps for Paints, Sept., p. 70.
Morris, A.—Outline for Design of a Trade Sales Paint Warehouse, Aug., p. 69.
Myers, R. R.—Report of PRI Research Director, May, p. 27.

N

Nablo, S. V., Fussa, A. D., and Quintal, B. S.—Self-Contained Processors for Industrial Electron Beam Curing, Jun., p. 51.
Nack, L. E. and Smith, F. W.—Dew Freeze Vacuum (DFV)—Test for Determination of Experimental Paint Wet Adhesion to Weathered Wood Substrates, May, p. 47.

P

Papenroth, W.—See Kaempf, G.
Pappas, S. P. and Fischer, R. M.—Photo-Chemistry of Pigments – Studies on the Mechanism of Chalking, Dec., p. 65.
Phillips, D. G.—See Billmeyer, F. W., Jr.
Pittman, C. U., Jr., Grube, P., and Hanes, R. M.—Incorporation of Ferrocene and Other Organometallic Compounds into Polymers and Films, Oct., p. 35.
Provder, T.—See Holsworth, R. M.

Q

Quach, A. and Hansen, C. M.—Evaluation of Leveling Characteristics of Some Latex Paints, May, p. 40.
Quintal, B. S.—See Nablo, S. V.

R

Ramig, A., Jr.—See Holsworth, R. M.
Roth, S. H. and Green, J.—Use of Thermal Analysis to Screen Binders for Intumescent Coatings, Mar., p. 58.
Rozsa, J. T.—See Kinkelaar, E. W.
Rudin, A. and Strathdee, G. B.—Model for Predicting Viscosities of Moderately Concentrated Polymer Mixtures, Apr., p. 33.
Rubin, H.—UV Lamp Irradiance and Cure Speed of Photopolymers, Jan., p. 74.
Rybny, C. B., DeFazio, C. A., Shahidi, I. K., Trebellas, J. C., and Vona, J. A.—Ultraviolet Radiation Cured Coatings, Sept., p. 60.

S

SARKAR, N. and LALK, R. H.—Rheological Correlation With the Application Properties of Latex Paints, Mar., p. 29.
SCHMIDT, D. L., SMITH, H. B. and BROXTERMAN, W. E.—Water-Based Coatings from Aryl Cyclic Sulfonium Zwitterion (ACSZ) Monomers, Jan., p. 41.
SCHMITT, J. A.—Microecology of Mold Growth, Dec., p. 59.
SCHMITT, J. A.—Mildew-Induced Defacement of Organic Coatings, Sept., p. 53.
SCHREIBER, H. P.—Solvent Balance, Dispersion and Rheological Properties of Pigmented Polymer Compositions, Nov., p. 31.
SCHURR, G. G.—See Campbell, G. G.
SHAHIDI, I. K.—See Rybny, C. B.
SLAWIKOWSKI, D. E.—See Campbell, G. G.
SMITH, F. W.—See Nack, L. E.
SMITH, H. B.—See Schmidt, D. L.
SPENCE, J. W.—See Campbell, G. G.
SPERLING, L. H., CHIU, T.-W., GRAMLICH, R. H., and THOMAS, D. A.—Synthesis and Behavior of Prototype "Silent Paint," Jan., p. 47.
SPITZ, R. D.—See Elms, W. J.
STRATHDEE, G. B.—See Rudin, A.

T

TACKETT, R.—State-of-the-Art of Waste Disposal in the Coatings Industry, Mar., p. 63.
TAHAN, M.—Comparison of Reflectance and Related Methods for Studies of Film Surface Deterioration — I. Natural Weathering of PVC (Organosol) Film, Mar., p. 35.
TAHAN, M. and TIGHE, B. J.—Comparison of Reflectance and Related Methods for Studies of Film Surface Deterioration — II. Natural Weathering of Alkyd, Urethane, and Epoxypolyamine Coatings, Mar., p. 48.
TAHAN, M.—Comparison of Reflectance and Related Methods for Studies of Film Surface Deterioration — III. Modification of the Goniophotometer and Its Efficiency in Weathering Studies, Oct., p. 52.
TREBELLAS, J. C.—See Rybny, C. B.
TUNSTALL, D. F. and HIRD, M. J.—Effect of Particle Crowding on Scattering Power of TiO_2 Pigments, Jan., p. 33.

V

VAVRUSKA, L. J.—See Kinkelaar, E. W.
VONA, J. A.—See Rybny, C. B.

W

WEAVER, J. C.—People, Politics, and Publications, Feb., p. 64.
WILLIAMS, R. T.—Latex Waste and Treatment, Jul., p. 46.
WINTERS, H.—See Goll, M.
WINTERS, H., GUIDETTI, G., and GOLL, M.—Growth of Typical Paint Bacterial Isolate in Aqueous Emulsion Paint, Jul., p. 69.

Z

ZICHERMAN, J. B. and HOLSWORTH, R. M.—Instrumental Approaches to Powder Coatings Characterization, Apr., p. 55.

Constituent Society Papers

C-D-I-C—Continued Search for Nonmercurial Fungicide in an Exterior Latex House Paint, Jan., p. 54.

Kansas City—Nonmercurial Preservatives, Their Effectiveness and Relationship to Raw Materials in Latex Paints, Feb., p. 37.

New York—Experiments in Measurement of Leveling of Latex Paints, Feb., p. 31.

Northwestern—Water-Borne Coating Systems for Iron Surfaces, May, p. 57.

Pacific Northwest, British Columbia Section—New Trend in the Coatings Industry — Painting Contractor's Specification Manuals, Mar., p. 25.

Pittsburgh—Test Device for Evaluation of Hydrostatic Pressure-Resistant Coatings on Cement, May, p. 65.

St. Louis—Two-Foot Tunnel Test — Study of Operator/Tunnel Variability on Flame Spread Ratings, Apr., p. 62.

Proceedings Of Paint Research Institute

No. 106—Model for Predicting Viscosities of Moderately Concentrated Polymer Mixtures, A. Rudin and G. B. Strathdee, Apr., p. 33.
No. 107—Report of PRI Research Director, R. R. Myers, May, p. 27.
No. 108—Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis — III. Effect of Concentration Errors on Color for Mixtures of One Chromatic Pigment with White, F. W. Billmeyer, Jr. and D. G. Phillips, May, p. 36.
No. 109—Color and Appearance of Metallized Paint Films — I. Characterization, F. W. Billmeyer, Jr. and J. G. Davidson, Jun., p. 31.
No. 110—Development of a Corrodescope to Test Coatings and Inhibitors, M. T. Hepworth and K. J. Bhansali, Aug., p. 31.
No. 111—Incorporation of Ferrocene and Other Organometallic Compounds into Polymers and Films, C. U. Pittman, Jr., P. Grube, and R. M. Hanes, Sept., p. 35.
No. 112—Microecology of Mold Growth, J. A. Schmitt, Dec., p. 59.